



Research article

An integrative pan-cancer analysis reveals the carcinogenic effects of NCAPH in human cancer


Ying Liu¹, Xiao Ma², Linyuan Feng², Zhenhua Lin^{1,2} and Xianchun Zhou^{1,2,*}

¹ Key Laboratory of Pathobiology (Yanbian University), State Ethnic Affairs Commission, Yanji 133000, China

² Central Laboratory, Affiliated Hospital of Yanbian University, Yanji 133002, China

* Correspondence: Email: jimlele@sina.com; Tel: +15526771182.

Supplementary



Continued on next page




Figure S1. Associations between NCAPH expression and tumor immune infiltration, somatic copy number alterations (SCNA). (A) Associations between NCAPH expression and tumor immune infiltration. (B) Kaplan-Meier plots for tumor infiltrating immune cells (TIICs) and NCAPH expression in pan-cancer. (C) Associations between NCAPH expression and SCNA.




Figure S2. Associations between NCAPH expression and tumor microenvironment in pan-cancer. In Spearman's method, NCAPH mRNA expression was positively or negatively correlated with estimate-score, immune-score and stromal-score in different types of tumors.




Figure S3. Association between NCAPH expression level and immune markers in ACC, COAD, LUAD based on TIMER2.



AIMS Press

© 2023 the Author(s), licensee AIMS Press. This is an open access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>)