

Correction

Essential oils rich in pulegone for insecticide purpose against legume bruchus species: Case of *Ziziphora hispanica* L. and *Mentha pulegium* L.

Tarik Ainane¹, Fatouma Mohamed Abdoul-Latif², Asmae Baghouz³, Zineb El Montassir¹, Wissal Attahar¹, Ayoub Ainane¹ and Angelo Maria Giuffrè^{4,*}

¹ Superior School of Technology of Khenifra, University of Sultan Moulay Slimane, BP 170, Khenifra 54000, Morocco

² Medicinal Research Institute, Centre d'Etudes et de Recherche de Djibouti, IRM-CERD, Route de l'Aéroport, Haramous B.P. 486, Djibouti City, Djibouti

³ Laboratory of Biotechnology, Conservation and Valorization of Natural Resources, Department of Biology, Faculty of Sciences Dhar El Mahraz, Sidi Mohammed Ben Abdellah University, P.O. Box 1796 (Atlas), 30000 Fez, Morocco

⁴ Università degli Studi 'Mediterranea' di Reggio Calabria—Dipartimento di AGRARIA, Via dell'Università 25, 89124 Reggio Calabria, Italy

* Correspondence: Email: amgiuffre@unirc.it; Tel: +39(0)3277022840.

A correction on

Essential oils rich in pulegone for insecticide purpose against legume bruchus species: Case of *Ziziphora hispanica* L. and *Mentha pulegium* L.

by Tarik Ainane, Fatouma Mohamed Abdoul-Latif, Asmae Baghouz, Zineb El Montassir, Wissal Attahar, Ayoub Ainane and Angelo Maria Giuffrè. AIMS Agriculture and Food, 2023, 8(1): 105–118.
DOI: 10.3934/agrfood.2023005

The authors would like to make the following corrections to the published paper [1]. The changes are as follows:

Adding co-author Asmae Baghouz and affiliation 3:

From

Tarik Ainane¹, Fatouma Mohamed Abdoul-Latif², Zineb El Montassir¹, Wissal Attahar¹, Ayoub Ainane¹ and Angelo Maria Giuffrè^{3,*}

¹ Superior School of Technology of Khenifra, University of Sultan Moulay Slimane, BP 170, Khenifra 54000, Morocco

² Medicinal Research Institute, Centre d'Etudes et de Recherche de Djibouti, IRM-CERD, Route de l'Aéroport, Haramous B.P. 486, Djibouti City, Djibouti

³ Università degli Studi 'Mediterranea' di Reggio Calabria—Dipartimento di AGRARIA, Via dell'Università 25, 89124 Reggio Calabria, Italy

To

Tarik Ainane¹, Fatouma Mohamed Abdoul-Latif², Asmae Baghouz³, Zineb El Montassir¹, Wissal Attahar¹, Ayoub Ainane¹ and Angelo Maria Giuffrè^{4,*}

¹ Superior School of Technology of Khenifra, University of Sultan Moulay Slimane, BP 170, Khenifra 54000, Morocco

² Medicinal Research Institute, Centre d'Etudes et de Recherche de Djibouti, IRM-CERD, Route de l'Aéroport, Haramous B.P. 486, Djibouti City, Djibouti

³ Laboratory of Biotechnology, Conservation and Valorization of Natural Resources, Department of Biology, Faculty of Sciences Dhar El Mahraz, Sidi Mohammed Ben Abdellah University, P.O. Box 1796 (Atlas), 30000 Fez, Morocco

⁴ Università degli Studi 'Mediterranea' di Reggio Calabria—Dipartimento di AGRARIA, Via dell'Università 25, 89124 Reggio Calabria, Italy

Updating Figures 1 and 2 for more clarity:




Figure 1. Chromatogram of the *Ziziphora hispanica* essential oil.




Figure 2. Chromatogram of the *Mentha pulegium* essential oil.

The added co-author is the original author of Figures 1 and 2, and he provides a clearer version of the chromatograms. These changes have no material impact on the conclusion of this article. The original manuscript will be updated [1]. We apologize for any inconvenience caused to our readers by this change.

Conflict of interest

The authors declare that they have no competing interests.

References

1. Ainane T, Abdoul-Latif FM, Baghouz A, et al. Essential oils rich in pulegone for insecticide purpose against legume bruchus species: Case of *Ziziphora hispanica* L. and *Mentha pulegium* L. (2023) *AIMS Agric Food* 8: 105–118. <https://doi.org/10.3934/agrfood.2023005>



© 2023 the Author(s), licensee AIMS Press. This is an open access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>)