



Retraction

Retraction notice to “ICG fluorescence imaging technology in laparoscopic liver resection for primary liver cancer: A meta-analysis”
[Mathematical Biosciences and Engineering 20(9) (2023) 15918–15941]

Editorial Office of Mathematical Biosciences and Engineering*

P.O. Box 2604 Springfield, MO 65801-2604, USA

* **Correspondence:** Email: mbe@aimspress.org.

The journal retracts the article (<https://doi.org/10.3934/mbe.2023709>) [1] in agreement with the Publisher and Editor-in-Chief.

The article was published as part of a guest-edited special issue. It has come to the Publisher’s attention that there are discrepancies between the manuscript and the scope of the journal.

The investigation has uncovered that the quality of the peer review process, as well as the article itself, falls below the high standards expected by *Mathematical Biosciences and Engineering*. These findings undermine our confidence in the reliability of the article and quality control conducted by the Guest Editor. In consultation with the Editor-in-Chief, the editorial office has concluded that this article should be retracted.

The authors have been informed but have not responded regarding this retraction.

References

1. P. Lu, W. Zhang, L. Chen, W. Li, X. Liu, ICG fluorescence imaging technology in laparoscopic liver resection for primary liver cancer: A meta-analysis, *Math. Biosci. Eng.*, **20** (2023), 15918–15941. <https://doi.org/10.3934/mbe.2023709>

